

# Ammonia as a Transportation Fuel III

Denver Marriott West

October , 2006

Norm Olson –Iowa Energy Center

[www.energy.iastate.edu](http://www.energy.iastate.edu)

# Meeting Objectives

- Discuss Pro's and Con's of Ammonia as a Transportation Fuel
- Provide Facts to Help Enlighten Perspectives
- Determine Next Steps


# Energy Independence Goals

- Use U.S. Resources for U.S. Energy Needs
- Eliminate Petroleum Imports
- Provide a Bridge to Renewable Energy
- Protect the Environment
- Create U.S. Jobs/Improve Economy
- Eliminate Ammonia Imports

# Background Information

The background is a solid blue gradient. A thin, light blue curved line starts from the top left and arcs towards the right. A larger, light blue wedge-shaped area is located on the right side, pointing towards the center.

# The Fossil Fuel Era



Source: Ewald Breunese, Shell Netherlands, 14th IAMA Annual World Conference, Montreux, June 14th 2004

# aljazeera.net

## **Increasing dependence on oil imports**

*By Ahmad al-Quni*

Sunday 10 August 2003, 12:43 Makka Time, 9:43 GMT

<http://english.aljazeera.net/NR/exeres/2CDA8F31-A5D7-4071-B12D-1B804E1C15EE.htm>

**Per Capita Consumption (BPY): US - 28, China - 2**

**US imports over 60% of Petroleum (2004)**

**Iraq oil - the target for years** *By Ahmad Quni*

# Really?!

Saudi Oil Exec: Only 18% of World's Crude Reserves Tapped  
**Wednesday, September 13, 2006**


VIENNA, Austria — The world has tapped only 18 percent of the total global supply of crude, a leading Saudi oil executive said Wednesday, challenging the notion that supplies are petering out. Abdallah S. Jum'ah, president and CEO of the state-owned Saudi Arabian Oil Co., known better as **Aramco**, said the world has the potential of 4.5 trillion barrels in reserves — enough to power the globe at current levels of consumption for another 140 years.

# Oil Reserves

The background of the slide is a gradient of blue, transitioning from a bright blue on the left to a dark blue on the right. A thin, light blue curved line starts from the top left and sweeps across the upper half of the slide. In the bottom right corner, there is a wedge-shaped area that is a lighter shade of blue, pointing towards the center of the slide.



## World Crude Oil Reserves, Jan 2000




Source: Oil and Gas Journal, from the EIA website on International Petroleum Consumption


# Coal Reserves



## World Recoverable Coal Reserves - January 1999



# US Coal



<sup>1</sup>Prior to January 11, 2002, EIA averaged 12-month "forward" spot prices for several coal specifications; after that date, coal prices shown are for a relatively high-Btu coal selected in each region, for delivery in the "prompt" quarter. The "prompt quarter" is the next calendar quarter, with quarters shifting forward after the 15th of the month preceding each quarter's end.

Source: with permission, selected from listed prices in Platts Coal Outlook, "Weekly Price Survey."

# Hydrogen Sources

- Renewables
- Fossil Fuels
- Nuclear

# Renewable Energy Options

- Wind
- Solar
- Hydro
- OTEC
- Biomass

# Enough Biomass?

2002 Consumption	Quads
Petroleum	38.11
Natural Gas	23.37
Coal	22.18
Nuclear	8.15
Renewable	5.25
Corn potential (including stalk, 10 bil. bu.)	8.40

# Solar, Wind, Biomass

Technology	Converter	Capacity	Maximum	Land per Year for:	
	Efficiency	Factor	Packing	km2/GW	m2/GWh
Flat-Plate PV	10-20%	20%	25-75%	10-50	5000 - 25,000
Wind	Low to 20%	20%	2-5%	100	140,000
Biomass	0.1% total		High	1000	500,000

Source:

<http://www.nrel.gov/docs/fy04osti/35097.pdf>



# Fossil Fuel Hydrogen Sources

- Petroleum
- Natural Gas
- Coal

# Dakota Gasification



Over 20 years of producing natural gas, ammonia and other valuable chemicals from US coal.

At Lukes - \$4.50 Nat. Gas from new coal gasification plants.

# China

- # new plants
- Chart of chemicals produced

# Europe

**The Homepage of  
the R&D Component of  
the European Commission  
Clean Coal Technology  
Programme**

**[euro-cleancoal.net](http://euro-cleancoal.net)**

# Chemistry

## From Coal



or



## From Natural Gas




# Performance

The background is a solid blue color. A thin, light blue curved line starts from the top left and arcs towards the right. A larger, light blue wedge-shaped area is positioned on the right side, pointing towards the center of the slide.

# Hydrogen Carriers

- Liquefied Hydrogen (  $\text{H}_2$  ) 100%
- Compressed Hydrogen (  $\text{H}_2$  ) 100%
- Natural Gas (  $\text{CH}_4$  ) 25.0%
- Ammonia (  $\text{NH}_3$  ) 17.6%
- Ethanol (  $\text{C}_2\text{H}_6\text{O}$  ) 13.0%
- Methanol (  $\text{CH}_4\text{O}$  ) 12.5%

# Energy densities (LHV) for fuels in liquid state





# Freedom Car Targets w/ 2005 NH3 Comparison

Parameter	Units	2007	2010	2015	NH3 (2005)
Spec. Energy	kWh/kg	1.5	2	3	3.0
Energy Density	kWh/L	1.2	1.5	2.7	2.7
Storage Cost	\$/kWh	6	4	2	3.1
Fuel Cost	\$/gal. Gas equiv	3	1.5	1.5	1.7*


\*\$280/ton ammonia

# Fuel Costs


- June 2003 Chemical Market Reporter\*

	\$/MMBtu
● Ammonia - \$200/metric ton*	\$10.01
● Gasoline - \$1.20/gallon	\$10.52
● Methanol - \$0.79/gallon*	\$13.68
● Ammonia - \$270/short ton	\$14.86
● Ethanol - \$1.25/gallon* (\$2.70, 9/05)	\$16.44
● Gasoline - \$2.00/gallon	\$17.54
● Wind - \$0.035/kwh x 2 (electrolyzer)	\$20.51
● Gasoline - \$2.50/gallon	\$21.92
● Ethanol - \$2.70/gallon (9/05)	\$35.51

# Gasoline Costs – March 2005



# Future Compatibility



Hydrogen + Nitrogen

Ammonia

Storage & Delivery – Pipeline, Barge, Truck, Rail

Stationary Power

Fertilizer

Transportation

# Economic Impacts

Current (2003) Imports: ~ 13 million bpd

= \$114 billion/year @ \$24/bbl, \$228 billion @ \$48/bbl

2003 Gasoline Consumption – 8,756,000 bbl/day

$15.3 \times 10^{15}$  Btu/year = 850 million ton/year ammonia

1250 new plants @ 650,000 ton/year each

\$562 billion investment @\$450 million/plant

375,000 new jobs

\$5 billion annual new tax revenue/year (employees only)

# Delivery Infrastructure

The background is a solid blue gradient. A thin, light blue curved line starts from the top left and extends towards the center. A light blue triangle is positioned on the right side, pointing towards the center.

# Typical New Infrastructure

Filling Stations – fuel tanks,

Chicago Stations (20)


Delivery (cold or pressurized?)

Natural Gas Pipeline retrofit?

One fuel (+pilot) simplifies fuel infra.

Simplified refineries and formulations

# Ammonia Pipeline





# Ammonia Storage & Transport



# Anhydrous Application



**Anhydrous ammonia expands into a gas as it is injected into the soil where it rapidly combines with soil moisture.**



# End Use Applications

- Spark-Ignition Internal-Combustion Engines (w/ethanol)
- Diesel Engines (w/biodiesel)
- Direct Ammonia Fuel Cells
- Gas Turbines
- Gas Burners

# Health And Safety

- “Safety assessment of ammonia as a transportation fuel”, Nijs Jan Duijm, Frank Markert, Jette Lundtang Paulsen, Riso National Laboratory, Denmark, February 2005

# US DOT Statistics 1993-2003

Chemical	#Incidents	Fatalities	Rel. Freq.
Gasoline	3936	82	5.3x
LPG	915	9	2.5x
Anhyd. Ammonia	1016	4	--



# Scapegoat?

Ammonia

$\text{NH}_3$

Ephedrine and Pseudoephedrine

$\text{C}_{10}\text{H}_{15}\text{NO}$

Methamphetamine

$\text{C}_{10}\text{H}_{15}\text{N}$

$\text{VOC's} + \text{NO}_x + \text{O}_2 + \text{Sunlight} = \text{ozone} = \text{smog}+$

$\text{NO}_x + \text{H}_2\text{O} + \text{ammonia} = \text{ammonium nitrate} = \text{smog}-$

If the  $\text{NO}_x$  doesn't form ammonium nitrate it goes to ozone (worse)

Fossil fuels (the source of  $\text{NO}_x$ ) are the problem, not ammonia

Ammonia is actually used to clean up  $\text{NO}_x$  emissions at coal plants

# Ammonia Toxicity Ratings

Corresponding NFPA Index	Toxicity Rating	Descriptive Term	LD <sub>50</sub> (wt/kg) single oral dose rates	LC <sub>50</sub> (ppm) 4 hours inhalation rate
4	1	Extremely Toxic	< 1 mg	< 10
3	2	Highly Toxic	1-50 mg	10-100
2	3	Moderately Toxic	50-500 mg	100-1000
1	4	Slightly Toxic	500-5000 mg	1000-10,000
0	5	Practically non-toxic	500-15,000 mg	10,000-100,000
	6	Relatively Harmless	> 15,000 mg	> 100,000
Ammonia - NH <sub>3</sub>			LD <sub>50</sub> = 350	LC <sub>50</sub> = 2000

The NFPA rating for ammonia is 3 taking into account the physical stress of emergency people. The actual NFPA health ratings based solely on the actual LD<sub>50</sub> and LC<sub>50</sub> numbers would be 2 and 1 respectively. Since we are most concerned with inhalation risks, the NFPA rating based on actual test data for ammonia should be 1 or “slightly toxic”.

# NFPA Classifications

Substance	Health	Flammability	Reactivity
Ammonia	3 ?!	1	0
Gasoline	1	3	0
Benzene, Ethyl benzene	3	3	0
MTBE	1 ?!	3	0
Natural gas, Methane	1	4	0
Hydrogen	0	4	0
LPG	1	4	0
Methanol, Ethanol ?, Toluene, Hexane	2	3	0

NFPA ratings span from 0 to 4 (0 = no special hazards, 4 = severe hazards). **Based on actual test data, the NFPA Health rating for ammonia should be 1 (as an inhalation risk).** It is interesting to note that gasoline gets a Health Rating of 1, yet many of its significant components have Health Ratings of 2 and 3.



# Summary

- **Ammonia Meets Most 2015 Freedom Car Targets Today**
- **Ammonia Has a Very Extensive, Worldwide Delivery and Storage Infrastructure Already in Place**
- **Only H<sub>2</sub> and NH<sub>3</sub> Have No Tailpipe Greenhouse Gas Emissions**
- **Only H<sub>2</sub> and NH<sub>3</sub> Can be Made From Electricity and Water (+air for NH<sub>3</sub>)**
- **Ammonia From Fossil Fuels Now**
- **Ammonia From Renewables in the Near Future**
- **Diesel and Spark-Ignition IC Engines Now**
- **Fuel Cells in the Future**
- **Ammonia Looks Very Good Now and in the Future**
- **Ammonia is Safer Than Gasoline and Hydrogen**